

**HARDIN COUNTY PLANNING AND DEVELOPMENT COMMISSION
KBC PROGRAM/ ELECTRICAL INSPECTIONS**

ROUGH INSPECTION:

NOTE: Copy of septic system construction permit from the Hardin County Health Department must be provided to our office prior to requesting rough electrical inspections.

1. Nail up all boxes.
2. Run all wires.
3. Staple wires.
4. Make up all joints.
5. Install breaker panel and run the wires into the panel (if it is in a finished wall only).

TEMPORARY ON THE MAIN / EMERGENCY SERVICE: (Optional)

1. Fee \$35.00
2. Permanently install the service entrance.
3. Connect only breaker for one (1) plug.
4. Connect breaker and completely wire the heating system.
5. Do not have any wires on breakers that do not have the entire circuit complete.
6. Meter poles must be 15 feet tall and 5 feet deep.
7. Temporary on the Main service is limited to 180 days; at that time a final must have been requested or an extension granted or else the service will be disconnected.

FINAL INSPECTION:

1. All wiring 100% complete.
2. All glass and bulbs in fixtures.
3. Leave panel covers off.
4. Check out the system.
5. If underground service, should be finished and inspected by the utility company.
6. Power must be on (**either temporary on the main or generator**).

Please call this office at 769-5479 for each of these inspections. There will be someone to take your call between 8:00 a.m. and 4:30 p.m. Monday through Friday (on occasion office may be closed during noon hour). You will reach an answering machine at all other times. The inspector is in the office 7:00 to 8:00 a.m. on Monday, Thursday and Friday.